Recipient's Name:			
OOT TRYKES			
□ New! 1410 FOOT	TRYKE – (10" wheels, fixed dri	ive) <b>50-FC-0100</b> Arm Length 7	7-20", Leg Length 14-21"
	Seating System: Blue Bucket		
·	e Seating System: Snappy Sea		
•	sories: □ Notched Seat Bottom	Cushion*   Laterals	☐ Head Rest
		m Cushion* □ XL Seat Back**	
1410 Accessories:	☐ Rear Steering Kit	□ Pull/Steering Ba	·
	□ Push Bar	☐ Heavy-Duty Pusl	
	YKE (12" wheels, fixed drive) – 5		Leg Length 17-22"
•	Seating System: Snappy Sea	•	
Snappy Seat Access	sories:   Notched Seat Bottom		☐ Head Rest
-	☐ Notched Wide Bottom		**   ☐ Separator Cube
•	e Seating System: Blue Bucket		
☐ Option #3 – Alternate	e Seating System: Saddle Seat	t/1600 Simple Seatback	
Snappy Accessories:	☐ Pull/Steering Bar	<u> </u>	☐ H-Harness: ☐ 8" ☐ 11.5"
	☐ Push Bar	☐ Heavy-Duty Push Bar	☐ Exercise Pedals
	OOT TRYKE (12" wheels, fixed o	drive) - <b>50-FC-1412</b> Arm Lengt	th 14-22", Leg Length 21-26"
	Seating System: Saddle Seat		
•	s: □ Bench Seat □ Pommel S	•	') □ Skinny Saddle Seat (8.5x6")
			sh grip, backpad, saddle seat & 2 laterals)
Seat Bottom Alternates	<u> </u>	Saddle Seat □ Medium (11.5x10")	
	s:   ProSeries Full Padded Back		• • • • • • • • • • • • • • • • • • • •
		☐ Recumbent 10 Degree Se	
$\Box$ Option #3 – Alternate	e Seating System: Gray Bucke	•	
•	e Seating System: Snappy Sea		
•	☐ Notched Seat Bottom Cushi	•	☐ Head Rest
	□ Notched Wide Bottom Cush		
1412 Accessories:	☐ Pull/Steering Bar	☐ Toe Pedal Leveler Pulley	<u>'</u>
#1## 1 Walan	☐ Rear Steering Kit	•	annot be used with Rear Steering)
	□ Push Bar	•	" (BMX) □ 8" □ Exercise Pedals
	☐ Heavy-Duty Push Bar	☐ Knee Separator: ☐ 2" ☐ 5	
*cannot be used in conjunction witl		conjunction with an h-harness, head rest	
_	tioning Set Up (Both Options		
	ility to steer, apply brake and mak		ı their own.)
Choose Tryke:		□ 1420XL	
			Adds the ability to coast and trail ride
	·	·	for hilly terrain — Replaces the 1600 Series
	m (for either option): Saddle Se	•	
Seat Bottom Alternates:	:: □ Bench Seat □ Tractor Seat □ Medium Saddle (10.5x10")	t with bracket □ Pommel Sa □ Large Sadd	addle Seat □ Med (11.5x10") □ Large(14x13") dle (13x12'')
Cugasted Assessaries	: D Evarcica Padals DHi	i-Rica Handlahars: 7 8"(1416) 7	- 43" (+ 100) - 33"(4 430VI)

Recipient's Name:			
FOOT TRYKES			
☐ 1416 ProSeries F	OOT TRYKE (16" wheels, fixed	or freewheel drive) – <b>50-FC-1416</b> Arr	m Length 14-22", Leg Length 24-32"
□ Option #1 – Standard	Seating System: 1400 ProSei	ries Seat Back System (push grip, b with bracket □ Pommel Saddle So	packpad, saddle seat & 2 laterals)
Trunk Support Options	: □ ProSeries Full Padded Back	<ul><li>□ ProSeries Head Rest</li><li>□ Recumbent 10 Degree Seat Pos</li></ul>	□ ProSeries Lumbar Pad st
•	e Seating System: Saddle Seat, : □ Bench Seat □ Tractor Seat	/1600 Simple Seat Back with bracket □ Pommel Saddle	Seat □ Med (11.5x10") □ Large(14x13")
☐ Option #3 – Alternate	e Seating System: Gray Bucket	: Seat	
1416 Accessories:	<ul><li>□ Pull/Steering Bar</li><li>□ Rear Steering Kit</li><li>□ Push Bar</li><li>□ Heavy-Duty Push Bar</li></ul>	<ul> <li>□ Toe Pedal Leveler Pulley</li> <li>□ Calf &amp; Leg Supports</li> <li>□ Hi-Rise Handlebars: □ 8" □ 12"</li> <li>□ Knee Separator: □ 2" □ 5"</li> </ul>	<ul><li>☐ H-Harness: ☐ 8" ☐ 11.5"</li><li>☐ Exercise Pedals</li><li>☐ 3-Speed Kit</li><li>☐ 9" extender tube</li></ul>
1430 BusCarias F	OOT TOWK		
		or freewheel drive) – <b>50-FC-1420</b> Arr	
Seat Bottom Alternates:	<u> </u>	ies Seat Back System (push grip, ba Seat w/ bracket □ Pommel Saddle □ ProSeries Full Padded Back □ Recumbent 10 Degree Seat Po	Seat □ Med (11.5x10") □ Large(14x13") □ ProSeries Lumbar Pad
□ Option #2 – Alternates Seat Bottom Alternates	e Seating System: Saddle Seat, : □ Bench Seat □ Tractor S	/1600 Simple Seatback eat w/ bracket □ Pommel Saddle	e Seat □ Med 11.5×10") □ Large(14×13")
☐ Option #3 – Alternate	e Seating System: Gray Bucket	Seat	
1420 Accessories:	☐ Pull/Steering Bar	☐ Toe Pedal Pulley	☐ H-Harness: ☐ 8" ☐ 11.5"
	☐ Rear Steering Kit	☐ Calf & Leg Supports	☐ Exercise Pedals
	□ Push Bar	☐ 12" Hi-Rise Handlebars	☐ 3-Speed Kit
	☐ Heavy-Duty Push Bar	☐ Knee Separator: ☐ 2" ☐ 5"	□ 9" extender tube
☐ 1420 <u>XL</u> ProSerie	·	xed or freewheel drive) – <b>50-FC-1420</b> - 0-32", Leg Length 28-43"	XL
☐ Option #1 – Standard	l Seating System: 1400 ProSer	ries Seat Back System (push grip, b	ackpad, saddle seat & 2 laterals)
		r Seat w/ bracket □ Pommel Saddle	_
Trunk Support Opt	tions: ☐ ProSeries Head Rest	<ul><li>□ ProSeries Full Padded Back</li><li>□ Recumbent 10 Degree Seat Po</li></ul>	☐ ProSeries Lumbar Pad
☐ Ontion #2 – Alternate	e Seating System: Saddle Seat		750
•		or Seat with bracket	☐ Pommel Saddle Seat ¬ ☐ Med (11.5x10") ☐ Large(14x13")
1	e Seating System: Wheelchair sories:   Wheelchair Seat Bar Ei		
1420 XL Accessories:	☐ Pull/Steering Bar	☐ Toe Pedal Pulley	☐ H-Harness: ☐ 8" ☐11.5"
	□Rear Steering Kit	☐ Calf & Leg Supports	☐ Exercise Pedals
	☐ Push Bar	☐ Hi-Rise Handlebars ☐ 12" ☐23"	☐ 3-Speed Kit
	☐ Heavy-Duty Push Bar	☐ Knee Separator: ☐ 2" ☐ 5"	□ 9" extender tube

Recipient's Name:	
OOT TRYKES	
□ NEW! 2722 FOOT TR	YKE (with 24" wheels, single speed, hand & coaster brake) — 50-FC-2722 Arm Length 22-30", Leg
Length 28-36" Advanced Riders	Only; must be able to make a pedal revolution on their own
□ Option #1 – Standard Sea	ing System: Large Saddle Seat (13x12")
Seat Bottom Alternate	∷ □ Bench Seat □ Med Saddle (10.5x10) □ Tractor Seat w/Bracket: □19" □23"
	□ Pommel Saddle Seat □ Medium (11.5x10") □ Large(14x13")
□ Option #2 – Alternate Sea	ting System: 1400 ProSeries Seat Back (push grip, backpad, saddle seat (13x12") & 2 laterals)
Seat Bottom Option	:: □ Bench Seat □ Med Saddle (10.5x10) □ Tractor Seat w/Bracket: □19" □23"
	□ Pommel Saddle Seat □ Medium (11.5x10") □ Large(14x13")
☐ Option #3 — Alternate Sea	ting System: Large Saddle Seat (13x12")/ 1600 Simple Seat Back
Seat Bottom Option	:: □ Bench Seat □ Med Saddle (10.5x10) □ Tractor Seat w/Bracket: □19" □23"
	☐ Pommel Saddle Seat ☐ Medium (11.5x10") ☐ Large(14x13")
2722 Accessories:	☐ Exercise Pedals ☐ Expanding Pedals ☐ Heel Pedal Leveler Pulley (only w/ Expanding Pedals
	□ 23" Hi-Rise Handlebars □ Calf & Leg Supports (only w/ Expanding Pedals)
	□ ProSeries Handlebars □ Stem Riser □ 7-Speed Kit □ Dual Hand Brake Lever
☐ JT-2000 FOOT TRYKE	Recumbent 14-Speed) – <b>50-FC-2000</b> (advanced riders only) Arm Length 20-28", Leg Length 30-41"
JT-2000 Accessories:	☐ Exercise Pedals ☐ XL Exercise Pedals ☐ Expanding Pedals ☐ Digital Speedometer
	□ Dual Hand Brake □ Toe Clips □ Basket □ Rearview Mirror
□ JT-2300-USS FOOT TR	YKE (Recumbent 14-Speed with Under Seat Steering) – 50-FC-2300-USS (advanced riders only)
	Arm Length 20-28", Leg Length 30-41"
JT-2300-USS Accessories:	☐ Exercise Pedals ☐ XL Exercise Pedals ☐ Expanding Pedals ☐ Digital Speedometer
	□ Dual Hand Brake □ Toe Clips □ Basket □ Rearview Mirror
	·
Available Summer 2016	
	(Recumbent 14-Speed) – <b>50-FC-3000</b> (advanced riders only) Arm Length 20-28", Leg Length 30-41"
Tadpole Accessories:	☐ Exercise Pedals ☐ XL Exercise Pedals ☐ Expanding Pedals ☐ Digital Speedometer
raupoie Accessories.	□ Dual Hand Brake □ Toe Clips □ Rearview Mirror
	Budai Hand Brake 10e Clips Interview Willion
Therapist Assembly Notes o	Comments (if any):
Therapist Assembly Notes o	Commences (ii ally).

Therapist Assembly Notes or Comments (if any):			

HAND-FOOT TRYKES			
□ New! AM-10 HAN	D-FOOT TRYKE (12" wheels & 3" crar	nk arms) <b>50-HFC-0105</b> Arm len	gth 12-16". leg length 14-21"
	Seating System: Blue Bucket Seat	,	, , ,
·	Seating System: Snappy Seat System	 1	
	ories: ☐ Notched Seat Bottom Cushion*		☐ Head Rest
, , , , , , , , , , , , , , , , , , , ,	☐ Notched Wide Bottom Cushion		
AM-10 Accessories:	☐ Rear Steering Kit	☐ Pull/Steering Bar	☐ H-Harness: ☐ 8" ☐ 11.5"
	□ Push Bar	☐ Heavy-Duty Push Bar	☐ Cube Separator
	<b>P-FOOT TRYKE</b> (12" wheels & 3" crank	arms) 50-HFC-0110 Arm length	12-16", leg length 16-21"
Tryke comes standard w			
•	Seating System: Bench Seat & 1600 S	•	
	Seating System: Snappy Seat System		
Snappy Seat Accesso	ries: ☐ Notched Seat Bottom Cushion*	☐ Laterals	☐ Head Rest
	□ Notched Wide Bottom Cushion*	□ XL Seat Back**	
	eating System: Blue Bucket Seat		
AM-12S Accessories:	☐ Pull/Steering Bar	☐ Toe Pedal Leveler Pulley	☐ H-Harness: ☐ 8" ☐ 11.5"
		☐ Cube Separator	☐ Exercise pedals
Tryke comes standard w			, leg length 21-29"
·	Seating System: Saddle Seat/1600 Sin	•	1 P
Seat Bottom Alternates:			ledium (11.5x10")   Large(14x13")
Seat Bottom Alternates:	Seating System: ProSeries Seat Back		addle seat & 2 laterals) ledium (11.5x10") 🗆 Large(14x13")
Trunk Support Upgrades:		☐ ProSeries Head Rest ☐	
	Seating System: Gray Bucket Seat	- 1105ches fiedu fiest	1105CHC3 Edilibar 1 dd
	Seating System: Snappy Seat System	1	
Snappy Seat Accessories:	□ Notched Seat Bottom Cushion*		☐ Head Rest
	□ Notched Wide Bottom Cushion*	☐ XL Seat Back**	☐ Cube Separator
AM-12 Accessories:		Toe Pedal Leveler Pulley	
	☐ Knee Separator: ☐ 2" ☐ 5"	·	☐ Exercise pedals
	T TRYKE (16" wheels & 5" crank arms) 5	<b>60-HFC-0411</b> Arm length 18-27	", leg length 24-36"
Now comes standard wi	<u> </u>		
	Seating System: Saddle Seat/1600 Sin	· ·	
Seat Bottom Alternates:			ledium (11.5x10")   Large(14x13")
	Seating System: 1400 ProSeries Seat	• " = •	
Seat Bottom Upgrades:	<ul><li>□ Bench Seat</li><li>□ Tractor Seat</li><li>□ ProSeries Full Padded Back</li></ul>	<ul> <li>□ ProSeries Head Rest</li> </ul>	ledium (11.5x10") □ Large(14x13")  ProSeries Lumbar Pad
	Seating System: Gray Bucket Seat	- FIOSCHES HEAU NEST -	rioseries Lumbai Fau
		edal Leveler Pulley	☐ H-Harness: □ 8" □ 11.5"
		•	e pedals

Recipient's Name:

<sup>\*</sup>cannot be used in conjunction with rear steering. \*\*cannot be used in conjunction with an h-harness, head rest or laterals.

ke is currently being ι	used for research!		<b>0</b> Arm length 18-30", leg length 32-46"
1-20 Accessories:	☐ Exercise Pedals	☐ XL Exercise Pedals	☐ Expanding Pedals
	☐ Wheelchair Seat Bar Ends	☐ Swing Away Arms	☐ Calf & Leg Supports (Expanding ped
eranist Assembly Note	s or Comments (if any):		
erapiser issembly rese	o or comments (ii any).		

□ New! AM-10 HAND	TRYKE (12" wheels, 2.5" crank arms &	permanent foot platform) 5	<b>0-HFC-0105</b> Arm length 12-16"
	eating System: Blue Bucket Seat		
□ Option #2 – Upgraded S	eating System: Snappy Seat System		
Snappy Seat Accesso	ries: ☐ Notched Seat Bottom Cushion*	□ Laterals	☐ Head Rest
	☐ Notched Wide Bottom Cushion	* □ XL Seat Back**	
AM-10 Accessories:	☐ Rear Steering Kit	☐ Pull/Steering Bar	☐ H-Harness: ☐ 8" ☐ 11.5"
	□ Push Bar	☐ Heavy-Duty Push Ba	r □ Separator Cube
☐ AM-12Small HAND	TRYKE (12" wheels, 3" crank arms & perr	nanent foot platform) <b>50-H</b>	FC-0110 Arm length 12-16"
Tryke comes standard wit	th rear steering!		
	eating System: Bench Seat & 1600 Si	mple Seat Back	
	eating System: Snappy Seat System		
Snappy Seat Accesso	ries: ☐ Notched Seat Bottom Cushion*		☐ Head Rest
	□ Notched Wide Bottom Cushion	* □ XL Seat Back**	
·	eating System: Blue Bucket Seat	- D         D	
AM-12S Accessories:	□ Pull/Steering Bar □	•	☐ H-Harness: ☐ 8" ☐ 11.5"
			Separator Cube
	– (12" wheels, 4" crank arms & permane	nt foot platform) <b>50-HC-02</b> 1	<b>LO</b> Arm Length 14-23"
Tryke comes standard with		nla Caat Daal	
⊃ Option #1 – Standard Se Seat Bottom Alternat	eating System: Saddle Seat/1600 Sim		□ Medium (11.5x10") □ Large(14x13")
	eating System: 1400 ProSeries Seat E		
	nates:   Bench Seat	=	☐ Medium (11.5x10") ☐ Large(14x13")
	tions:   ProSeries Full Padded Back		□ ProSeries Lumbar Pad
	eating System: Gray Bucket Seat		
•	eating System: Snappy Seat System		
	ries:   Notched Seat Bottom Cushion*	□ Laterals	☐ Head Rest
	☐ Notched Wide Bottom Cushion	* □ XL Seat Back** [	☐ Separator Cube
AM-12 Accessories:	☐ Pull/Steering Bar	☐ Toe Pedal Leveler P	ulley 🗆 H-Harness: 🗆 8" 🗆 11.5"
	☐ Knee Separator: ☐ 2" ☐ 5"	☐ 9" Extender Tube	
cannot be used in conjunction with rea	r steering. **cannot be used in conjunction with	an h-harness, head rest or latera	ls.
	(16" wheels, 5" crank arms & permanent f	oot platform ) <b>50-HFC-041</b> 2	Arm length 18-27"
Tryke comes standard wit		1 2 1	
$\square$ Option #1 – Standard Se Seat Bottom Alternates:	rating System: Saddle Seat/1600 Sim	•	□ Medium (11.5x10") □ Large(14x13")
	eating System: 1400 ProSeries Seat		
	☐ Bench Seat ☐ Padded Tractor Seat	•	•
	☐ ProSeries Full Padded Back		☐ ProSeries Lumbar Pad
	eating System: Gray Bucket Seat		
AM-16 Accessories:		Toe Pedal Leveler Pulley	☐ H-Harness: ☐ 8" ☐ 11.5"

Recipient's Name:

Recipient's Name:		
HAND TRYKES		
□ 1024 HAND TRYKE	fka 1424 – (24" wheels & 3-Spe	ed drive train) 50-HC-1024 Arm length 22-26"
1024 Accessories:	☐ Wheelchair Seat Bar Ends	☐ Swing Away Arms ☐ Remote location hand brake & shifting kit
		ont wheel & 7-Speed grip shift) <b>50-HC-1000</b> Arm length 22-26"
HP-1000 Accessories:	☐ Wheelchair Seat Bar Ends	☐ Swing Away Arms
<del>-</del>	•	
Therapist Assembly Note	es or Comments (if any):	